Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

280.379
P34P
no.2

POULTRY
Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
January 1965

March 5, 1965

Inspected Poultry - A total of 652,930,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during January 1965 under the Poultry Inspection Act carried on by the USDA. This was 16 percent less than the previous month but 1 percent more than January 1964.

The number of head and pounds (live weight) inspected by classes in January 1965 were: young chickens, 155,400,000 head, 549,518,000 pounds; mature chickens, 14,126,000 head, 63,120,000 pounds; fryer-roaster turkeys, 610,000 head, 5,360,000 pounds; young turkeys, 1,264,000 head, 33,557,000 pounds; old turkeys, 13,000 head, 265,000 pounds; and ducks 181,000 head, 1,110,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in January 1965 totaled 469,924,000 pounds ready-to-cook weight of which 385,887,000 pounds were chilled and 84,037,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 395,980,000 pounds; mature chickens, 41,858,000 pounds; fryer-roaster turkeys, 4,142,000 pounds; young turkeys, 26,855,000 pounds; old turkeys, 208,000 pounds; ducks, 784,000 pounds; and other poultry, 97,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in January 1965 totaled 57,501,000 pounds ready-to-cook weight, compared with 53,968,000 pounds in January 1964. The quantity used in January 1965 consisted of 10,809,000 pounds of young chickens, 25,867,000 pounds of mature chickens, 16,794,000 pounds of turkeys, and 4,031,000 pounds of other poultry.

Cut-Up Poultry - Poultry cut-up and package in Federally inspected plants during January 1965 totaled 82,988,000 pounds ready-to-cook weight compared with 76,440,000 pounds in January 1964. The breakdown by classes for January 1965 consisted of 75,926,000 pounds of young chickens, 1,351,000 pounds of mature chickens, 5,642,000 pounds of turkeys, and 69,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,626,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.23 percent; mature chickens, 0.45 percent; fryer-roaster turkeys, 0.32 percent; and young turkeys, 0.22 percent.

Post-mortem condemnations in January 1965 amounted to 18,597,000 pounds (NYD) weight. Condemantions by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.23 percent; mature chickens, 3.44 percent; fryer-roaster turkeys, 1.35 percent; young turkeys, 2.01 percent; old turkeys, 4.62 percent; and ducks 1.30 percent. In January 1964, the condemantions by classes were equivalent to the following percentages of quantities inspected: young chickens 3.49 percent; mature chickens, 3.24 percent; fryer-roaster turkeys, 1.11 percent; young turkeys, 1.66 percent; old turkeys, 3.05 percent; and ducks, 0.92 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE
Statistical Reporting Service
Pou 2-1 (2-65)
Crop Reporting Board
Washington, D. C.

U.S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY
MAR 12 1965
CURRENT SERIAL RECORDS

Poultry: Slaughtered under Federal Inspection, January 1965 with comparisons

Class	Number inspected			Pounds inspected (live weight)			Average live weight		
	December	January		December	January		December	January	
	1964	1964	1965	1964	1964	1965	1964	1964	1965
	Thou.	Thou.	Thou.	1,000 pounds	1,000 pounds	1,000 pounds	Pounds	Pounds	Pounds
Young chickens	145,654	156,045	155,400	520,717	546,076	549,518	3.58	3.50	3.54
Mature chickens 1/	15,053	12,246	14,126	69,756	58,188	63,120	4.63	4.75	4.47
Total chickens	160,707	168,291	169,526	590,473	604,264	612,638	3.67	3.59	3.61
Fryer-roasters	1,165	852	610	10,080	7,615	5,360	8.65	8.94	8.79
Young turkeys 2/	7,528	1,202	1,264	169,237	31,534	33,557	22.48	26.23	26.55
Old turkeys	17	57	13	301	1,093	265	17.71	19.18	20.38
Total turkeys	8,710	2,111	1,887	179,618	40,242	39,182	20.62	19.06	20.76
Ducks	473	154	181	2,911	969	1,110	6.15	6.29	6.13
Other poultry	---	---	---	830	179	185	---	---	---
Total poultry	---	---	---	773,832	645,654	653,115	---	---	---

1/ Of the mature chickens inspected, the number of birds reported in thousands as broiler breeding stock was: December 1964, 2,314,000; January 1964, 1,969,000; and January 1965, 1,469,000.

2/ Of the young turkeys inspected, the number of birds reported in thousands as young banded breeder turkeys was: December 1964, 15,000; January 1964, 7,000; and January 1965, 9,000.

Pounds certified (ready-to-cook weights)

Class	December 1964			January 1964			January 1965		
	Chilled	Frozen	Total	Chilled	Frozen	Total	Chilled	Frozen	Total
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	325,475	50,855	376,330	339,834	51,917	391,751	349,604	46,376	395,980
Mature chickens	32,230	14,625	46,855	25,581	13,679	39,260	28,855	13,003	41,858
Total chickens	357,705	65,480	423,185	365,415	65,596	431,011	378,459	59,379	437,838
Fryer-roasters	1,391	6,459	7,850	671	5,233	5,904	676	3,466	4,142
Young turkeys	32,846	102,048	134,894	5,270	20,105	25,375	6,601	20,254	26,855
Old turkeys	30	213	243	---	866	866	20	188	208
Total turkeys	34,267	108,720	142,987	5,941	26,204	32,145	7,297	23,908	31,205
Ducks	351	1,685	2,036	146	565	711	130	654	784
Other poultry	22	567	589	11	92	103	1	96	97
Total poultry	392,345	176,452	568,797	371,513	92,457	463,970	385,887	84,037	469,924

Poultry: Condemnations of poultry slaughtered under Federal Inspection, January 1965, with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight)		Percent 1/		Pounds (N.Y. dressed wt.)		Percent 2/	
	January		January		January		January	
	1964	1965	1964	1965	1964	1965	1964	1965
	1,000 pounds	1,000 pounds	Percent	Percent	1,000 pounds	1,000 pounds	Percent	Percent
Young chickens	1,423	1,249	0.26	0.23	17,095	15,954	3.49	3.23
Mature chickens	249	286	.43	.45	1,691	1,946	3.24	3.44
Total chickens	1,672	1,535	.28	.25	18,786	17,900	3.46	3.25
Fryer-roasters	17	17	.23	.32	76	65	1.11	1.35
Young turkeys	56	74	.18	.22	469	607	1.66	2.01
Old turkeys 3/	2	---	.13	---	30	11	3.05	4.62
Total turkeys	75	91	.19	.23	575	683	1.59	1.94
Ducks 3/	---	---	---	---	8	13	.92	1.30
Other poultry 3/	---	---	---	---	1	1	.62	.60
Total	1,747	1,626	.27	.25	19,370	18,597	3.34	3.17

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Dashes mean less than 500 head or 500 pounds.

Poultry: Inspected for canning and other processed foods, January 1965 with comparisons 1/

Class	Pounds used ready-to-cook weight			Pounds condemned ready-to-cook weight		
	December	January		December	January	
	1964	1964	1965	1964	1964	1965
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens						
Further processed	10,543	9,909	10,809	11	6	12
Cut up	75,354	70,856	75,926	---	---	---
Mature chickens						
Further processed	24,531	23,401	25,867	12	28	12
Cut up	726	807	1,351	---	---	---
Turkeys						
Further processed	20,517	16,542	16,794	5	2	5
Cut up	5,894	4,735	5,642	---	---	---
Other poultry 2/						
Further processed	3,710	4,116	4,031	---	5	0
Cut up	85	42	69	---	---	---
Total						
Further processed	59,301	53,968	57,501	28	41	29
Cut up	82,059	76,440	82,988	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.
2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry".

Young chickens: Slaughtered under Federal Inspection by regions and selected States, January 1964 and 1965

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	12,672	12,124	50,733	48,525	4.00	4.00	36,329	34,613	1,281	1,334	2.82	3.07
E. N. Cent.	2,263	2,189	8,390	8,081	3.71	3.69	6,094	5,933	180	146	2.40	2.02
W. N. Cent.	4,611	4,239	15,461	13,827	3.35	3.26	11,002	9,742	395	461	2.85	3.71
S. Atl.	65,336	66,165	228,384	237,611	3.50	3.59	165,145	171,671	6,942	7,132	3.39	3.34
S. Cent.	67,606	67,034	229,068	227,865	3.39	3.40	163,220	164,189	7,875	6,552	3.83	3.20
West	3,557	3,629	14,040	13,609	3.95	3.75	9,961	9,832	422	329	3.35	2.69
U. S.	156,045	155,400	546,076	549,518	3.50	3.54	391,751	395,980	17,095	15,954	3.49	3.23
Maine	5,562	5,067	22,749	20,292	4.09	4.00	16,749	14,956	505	486	2.48	2.67
Conn.	939	557	3,394	2,013	3.62	3.62	2,337	1,382	176	56	5.76	3.12
Pa.	5,631	6,028	22,302	24,183	3.96	4.01	15,916	16,966	562	759	2.82	3.50
Ohio	578	353	2,327	1,422	4.03	4.03	1,702	1,045	47	26	2.27	2.07
Ind.	762	804	2,429	2,671	3.19	3.32	1,723	1,938	43	44	2.00	1.84
Wis.	896	1,006	3,441	3,812	3.84	3.79	2,527	2,819	86	71	2.79	2.07
Minn.	802	529	2,865	1,962	3.57	3.70	2,165	1,445	38	32	1.50	1.80
Iowa 3/	73	---	360	---	4.94	---	266	---	5	---	1.77	---
Mo.	3,736	3,667	12,236	11,658	3.28	3.18	8,571	8,146	352	426	3.20	4.07
Del.	7,122	6,739	27,839	26,155	3.91	3.88	20,346	18,969	755	786	3.02	3.34
Md.	10,096	9,326	38,976	35,794	3.86	3.84	27,888	25,575	875	1,208	2.50	3.76
Va.	3,729	3,662	11,596	11,787	3.11	3.22	8,113	7,816	232	447	2.23	4.23
N. C.	16,617	17,253	57,380	62,041	3.45	3.60	41,486	45,296	1,517	1,504	2.95	2.70
S. C.	1,339	1,653	4,514	5,926	3.37	3.58	3,193	4,221	202	175	5.00	3.29
Ga.	25,338	26,545	84,555	92,471	3.34	3.48	61,712	67,376	3,187	2,935	4.20	3.53
Ky.	1,620	1,578	5,498	5,499	3.39	3.49	3,910	3,908	109	111	2.22	2.25
Tenn.	3,985	4,243	13,524	14,606	3.39	3.44	9,731	10,564	349	490	2.87	3.74
Ala.	14,435	15,006	50,086	52,408	3.47	3.49	36,308	38,573	1,880	1,372	4.18	2.92
Miss.	13,166	12,079	44,057	41,329	3.35	3.42	31,651	30,203	1,829	1,198	4.62	3.22
Ark.	21,187	20,964	70,491	68,708	3.33	3.28	49,543	48,575	2,349	2,021	3.71	3.27
La.-Okla. 4/	2,432	3,602	8,594	12,278	3.53	3.41	6,161	8,783	227	388	2.94	3.52
Texas	10,781	9,582	36,817	33,037	3.42	3.45	25,916	23,583	1,132	972	3.43	3.28
Idaho	366	362	1,306	1,275	3.57	3.52	953	939	27	14	2.22	1.24
Utah 3/	---	9	---	35	---	3.86	---	26	---	1	---	2.82
Wash.	737	604	2,762	2,064	3.75	3.42	1,975	1,530	48	22	1.94	1.22
Calif.	2,432	2,364	9,883	9,157	4.06	3.87	6,967	6,540	346	271	3.90	3.29

1/ Average weight based on unrounded data.
2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, January 1965

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Synovitis	Tumors	Bruises	Cadaver	Contamination	Overscald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	117,869	88,120	117,387	14,634	1,137	2,433	9,046	12,018	1,349	15,806	379,799
E. N. Cent.	---	2,283	9,083	24,782	1,017	259	1,056	1,377	2,444	156	608	43,065
W. N. Cent.	---	10,216	35,921	72,550	9,988	182	1,448	5,236	5,784	528	3,884	145,737
S. Atl.	---	468,758	364,572	980,215	91,638	5,202	16,065	55,318	79,057	7,102	52,452	2,120,379
S. Cent.	---	145,784	346,735	1,054,679	80,123	6,543	18,870	54,837	76,972	5,577	63,412	1,853,532
West	---	14,179	34,365	35,448	3,978	301	1,397	4,662	3,762	350	6,868	105,310
U. S.	---	759,089	878,796	2,285,061	201,378	13,624	41,269	130,476	180,037	15,062	143,030	4,647,822
Maine	---	48,412	33,511	18,224	8,313	420	1,020	4,294	3,128	106	4,496	121,924
Conn.	---	2,442	2,649	4,774	542	140	151	100	2,480	3	1,428	14,709
Pa.	---	65,721	48,236	93,961	5,672	525	1,062	4,056	6,113	1,240	9,597	236,183
Ohio	---	526	2,644	1,385	250	70	125	472	753	30	380	6,635
Ind.	---	970	1,899	8,219	438	16	298	333	982	17	56	13,228
Wis.	---	505	4,169	15,086	302	169	626	471	657	108	162	22,255
Minn.	---	55	1,303	637	19	34	118	926	1,568	18	646	5,324
Mo.	---	10,153	34,464	71,661	9,969	144	1,295	4,308	4,158	447	2,997	139,596
Del.	---	94,932	33,830	99,271	7,419	625	1,068	4,192	5,918	442	3,874	251,571
Md.	---	130,123	57,370	132,501	17,907	911	1,511	6,788	8,241	604	9,646	365,602
Va.	---	24,337	21,847	110,814	2,036	64	534	3,398	3,393	264	1,503	168,190
N. C.	---	55,665	90,009	165,584	24,491	1,376	4,666	17,690	20,729	3,503	9,112	392,825
S. C.	---	15,882	8,172	21,688	2,480	52	660	2,943	934	388	1,023	54,222
Ga.	---	145,413	148,352	433,870	36,698	2,099	7,494	20,184	39,170	1,788	26,806	861,874
Ky.	---	2,089	6,212	19,379	4,098	81	765	1,232	1,250	326	2,026	37,458
Tenn.	---	24,403	25,562	48,679	8,492	289	744	3,440	6,997	12	11,869	130,487
Ala.	---	35,230	71,225	196,174	16,168	1,469	2,359	7,708	17,734	514	6,563	355,144
Miss.	---	33,729	33,277	215,773	11,660	1,416	3,397	7,840	13,982	1,875	7,078	330,027
Ark.	---	27,073	133,770	346,791	16,325	1,562	5,793	21,456	21,949	1,875	14,437	591,031
La.-Okla. 1/	---	4,314	27,614	72,032	5,293	306	1,650	3,176	3,393	242	1,011	119,031
Texas	---	18,946	49,075	155,851	18,087	1,420	4,162	9,985	11,667	733	20,428	290,354
Idaho	---	385	1,061	2,190	139	12	105	81	281	49	145	4,448
Utah	---	162	21	2	---	24	11	21	4	---	---	245
Wash.	---	242	3,699	2,013	317	58	148	364	241	65	1,320	8,467
Calif.	---	12,992	25,195	30,363	3,520	192	1,053	4,072	2,991	233	5,150	85,761

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, January 1964 and 1965

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1964	1965	1964	1965	1964	1965	1964	1965	1964	1963	1964	1965
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	2,003	2,171	9,844	10,576	4.91	4.87	6,602	6,970	183	203	2.07	2.14
E. N. Cent.	1,987	2,165	8,418	8,957	4.24	4.14	5,705	5,949	253	206	3.35	2.57
W. N. Cent.	1,837	2,555	8,464	10,856	4.61	4.25	5,635	7,156	245	368	3.23	3.78
S. Atl.	2,724	3,203	14,248	15,169	5.23	4.74	9,734	10,172	396	520	3.10	3.82
S. Cent.	2,147	2,448	10,564	10,696	4.92	4.37	7,187	7,152	354	370	3.75	3.87
West	1,548	1,584	6,650	6,866	4.30	4.33	4,397	4,459	260	279	4.36	4.53
U. S.	12,246	14,126	58,188	63,120	4.75	4.47	39,260	41,858	1,691	1,946	3.24	3.44
Maine	315	358	1,982	2,119	6.28	5.92	1,438	1,518	49	42	2.72	2.19
N. J.	882	1,010	3,567	4,212	4.05	4.17	2,207	2,579	79	87	2.45	2.29
Pa.	382	468	2,044	2,470	5.36	5.28	1,356	1,610	25	44	1.33	2.00
Ohio	689	845	2,865	3,503	4.16	4.15	1,945	2,311	68	84	2.65	2.69
Ind.	586	723	2,520	3,030	4.30	4.19	1,702	2,001	133	80	5.90	2.95
Ill.	396	324	1,618	1,304	4.09	4.02	1,092	882	32	15	2.16	1.34
Wis.	290	267	1,313	1,096	4.52	4.10	904	753	19	27	1.67	2.73
Minn.	566	953	2,320	3,802	4.09	3.99	1,490	2,464	94	154	4.53	4.55
Iowa 3/	103	---	404	---	3.93	---	273	---	10	---	2.62	---
Mo.	808	882	4,301	4,312	5.32	4.89	2,905	2,916	90	107	2.34	2.77
Del. 4/	19	1	124	10	6.55	7.56	88	7	3	---	2.77	2.18
Md.	446	502	1,813	2,038	4.06	4.06	1,206	1,357	49	48	3.02	2.60
Va.	336	485	1,799	2,229	5.35	4.59	1,287	1,523	37	51	2.30	2.57
N. C.	1,009	961	5,549	5,006	5.50	5.21	3,807	3,405	127	166	2.55	3.69
S. C.	21	9	144	70	6.73	7.45	102	50	4	2	2.58	3.38
Ga.	817	1,042	4,481	5,005	5.48	4.80	3,024	3,333	167	187	4.15	4.16
Ky. 3/	---	111	---	465	---	4.20	---	317	---	14	---	3.53
Tenn.	400	230	1,863	1,001	4.65	4.35	1,252	721	61	34	3.73	3.75
Ala.	225	51	1,363	333	6.07	6.58	965	238	41	8	3.33	2.66
Miss.	572	1,319	2,497	5,238	4.37	3.97	1,693	3,434	62	163	2.78	3.48
Ark.	222	216	1,447	1,352	6.51	6.27	1,006	947	44	37	3.35	2.99
La.-Okla. 3/5/	---	138	---	639	---	4.63	---	431	---	29	---	5.06
Texas	480	383	2,226	1,668	4.64	4.35	1,479	1,064	98	85	4.92	5.67
Idaho	33	37	147	168	4.43	4.58	97	114	3	6	2.75	4.38
Utah 3/	42	---	159	---	3.75	---	109	---	1	---	.76	---
Wash.	141	137	602	577	4.27	4.22	388	377	17	17	3.10	3.24
Calif.	1,282	1,314	5,545	5,733	4.33	4.36	3,675	3,707	232	245	4.65	4.75

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Dashes mean less than 500 head or 500 pounds. 5/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, January 1965

Region and State	Tuber-culosis	Leu-cosis	Septi-cemia	Airsac-culitis	Synovitis	Tumors	Bruises	Cadaver	Contam-ination	Over-scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	49	5,826	25,671	80	1,619	6,089	559	3,518	3,315	218	8,319	55,263
E. N. Cent.	4,729	7,855	22,859	122	666	7,612	1,314	2,513	4,456	219	10,039	62,384
W. N. Cent.	11,631	5,920	43,037	236	269	11,112	1,721	1,367	6,138	409	17,076	98,916
S. Atl.	---	8,869	72,673	915	2,602	18,185	1,386	3,811	13,914	306	8,905	131,566
S. Cent.	13	16,635	43,006	1,377	2,008	12,750	1,060	5,313	7,358	364	5,073	94,957
West.	---	1,660	35,132	558	681	17,610	1,741	883	3,843	609	18,252	80,969
U.S.	16,422	46,765	242,378	3,288	7,845	73,358	7,781	17,405	39,024	2,125	67,664	524,055
Maine	---	808	4,214	37	395	808	48	160	484	15	1,576	8,545
N.J.	25	3,384	10,786	14	230	3,658	262	2,830	1,127	57	5,034	27,407
Pa.	23	1,072	7,655	17	132	599	166	251	1,113	91	361	11,480
Ohio	575	3,868	9,142	14	219	3,986	502	1,579	1,911	91	1,932	23,819
Ind.	582	2,720	7,619	87	414	2,100	564	643	1,895	109	7,926	24,659
Ill.	242	259	3,394	0	7	603	64	206	158	1	167	5,101
Wis.	3,330	973	2,670	21	26	922	184	71	462	1	14	8,674
Minn.	5,981	1,354	16,737	19	156	6,218	773	577	3,657	156	9,397	45,025
Mo.	482	1,884	13,954	30	95	1,170	281	648	1,050	183	3,736	23,513
Del.	---	7	17	---	7	3	1	---	---	---	---	35
Md.	---	1,374	8,787	153	108	231	108	320	291	95	187	11,654
Va.	---	1,180	10,022	41	181	1,457	116	445	863	15	43	14,363
N.C.	---	4,049	25,033	113	1,307	3,878	513	1,323	6,438	32	614	43,300
S.C.	---	98	139	13	25	22	10	5	48	---	20	380
Ga.	---	1,742	23,824	595	832	9,262	449	1,280	5,252	38	4,410	47,684
Ky.	1	226	2,899	1	49	1,027	17	12	478	2	6	4,718
Tenn.	---	766	3,516	49	267	337	46	173	931	40	143	6,268
Ala.	---	63	661	13	72	145	17	42	234	---	67	1,314
Miss.	---	5,617	17,286	65	1,169	9,912	788	4,052	3,319	305	1,770	44,283
Ark.	---	653	4,419	235	181	156	44	92	433	2	271	6,486
Ia.-Okla. 1/	12	926	3,594	5	110	704	41	687	534	---	318	6,931
Texas	---	8,384	10,631	1,009	160	469	107	255	1,429	15	2,498	24,957
Idaho	---	63	1,074	143	101	158	6	32	217	32	87	1,913
Wash.	---	259	2,037	9	28	600	49	51	282	16	1,308	4,639
Calif.	---	929	29,677	405	552	16,725	1,568	743	3,177	517	16,775	71,068

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, January 1964 and 1965

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
									Pounds (NYD)		Percent 2/	
	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	71	121	2,139	3,635	30.13	30.04	1,709	3,001	11	15	0.57	0.46
E. N. Cent.	69	56	1,373	1,364	19.90	24.36	1,098	1,090	12	18	.97	1.47
W. N. Cent.	119	137	2,785	3,335	23.40	24.34	2,281	2,695	49	42	1.96	1.40
S. Atl.	181	179	3,970	3,963	21.93	22.14	3,124	3,067	82	136	2.30	3.82
S. Cent.	195	97	5,001	2,745	25.65	28.30	3,960	2,174	103	41	2.29	1.66
West	567	674	16,266	18,515	28.69	27.47	13,203	14,828	212	355	1.45	2.14
U. S.	1,202	1,264	31,534	33,557	26.23	26.55	25,375	26,855	469	607	1.66	2.01
Pa.	65	107	1,990	3,297	30.65	30.94	1,592	2,718	10	11	.54	.35
Ohio	31	22	701	542	22.32	25.19	564	461	6	6	.93	1.34
Ind. 3/ 4/	2	---	54	---	22.21	---	42	---	---	---	---	---
Ill.-Mich. 4/ 5/	8	---	214	---	26.75	---	175	---	1	---	.52	---
Minn.	33	58	649	1,187	19.73	20.51	516	953	16	15	2.78	1.41
Iowa 4/	33	---	808	---	24.81	---	684	---	9	---	1.26	---
Mo.	18	9	401	274	22.28	30.44	315	231	16	2	4.46	.81
Va.	51	45	986	1,019	19.47	22.47	719	774	25	18	2.82	1.91
N. C.	90	108	2,147	2,571	23.96	23.80	1,737	2,002	44	112	2.26	4.88
S. C. 4/	---	5	---	120	---	26.65	---	97	---	1	---	1.16
Ga. 4/	12	---	346	---	27.89	---	280	---	9	---	2.76	---
Ark.	35	29	693	698	20.05	23.70	554	540	31	15	4.96	2.47
Texas	121	62	3,432	1,880	28.27	30.30	2,704	1,501	64	25	2.09	1.45
Utah	44	21	933	512	21.34	24.65	746	412	8	5	.89	1.16
Oreg. 4/	11	---	218	---	19.45	---	175	---	1	---	.62	---
Calif.	504	644	14,888	17,747	29.55	27.57	12,095	14,207	203	348	1.52	2.19

1/ Average weight based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Dashes mean less than 500 head or 500 pounds.
4/ Data for only 1 year published in order to avoid disclosure of individual operations.
5/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, January 1965

Region and State	Tuber-culosis	Leu cosis	Septi-cemia	Airsac-culitis	Synovitis	Tumors	Bruises	Cadaver	Contam-ination	Over scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	10	162	78	42	---	35	47	34	15	---	423
E. N. Cent.	---	7	151	393	144	1	16	8	23	3	5	751
W. N. Cent.	11	32	864	691	50	22	38	26	54	1	81	1,870
S. Atl.	---	104	2,381	1,093	2,688	5	47	27	175	2	16	6,538
S. Cent.	---	27	548	508	378	2	5	10	23	---	87	1,588
West	---	570	8,760	1,534	4,180	128	115	37	368	118	561	16,371
U. S.	11	750	12,866	4,297	7,482	158	256	155	677	139	750	27,541
Pa.	---	10	141	52	41	---	29	17	12	4	---	306
Ohio	---	6	25	117	47	1	7	4	8	---	5	220
Minn.	---	11	387	285	17	1	5	19	35	---	3	763
Mo.	11	5	26	---	---	20	2	3	9	---	---	76
Va.	---	5	311	271	181	1	28	6	17	---	---	820
N. C.	---	41	1,997	759	2,381	3	14	14	152	1	7	5,369
S. C.	---	1	19	14	1	---	3	3	2	1	9	53
Ark.	---	3	196	342	129	1	2	2	15	---	8	698
Texas	---	21	320	152	232	1	3	8	9	---	79	824
Utah	---	----	42	35	42	1	15	4	---	2	---	141
Calif.	---	570	8,700	1,473	4,131	127	99	30	366	116	561	16,173

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, January 1964 and 1965

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
									Pounds (NYD)		Percent 2/	
	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl. 3/	8	---	71	---	9.24	---	53	---	---	---	---	---
E. N. Cent.	172	79	1,613	724	9.38	9.16	1,275	568	14	9	0.96	1.39
W. N. Cent.	467	319	4,149	2,834	8.88	8.88	3,224	2,242	37	26	.99	1.02
S. Atl.	117	118	1,096	1,040	9.37	8.81	825	745	18	24	1.83	2.57
S. Cent.	35	35	291	289	8.31	8.26	222	216	2	2	.76	.77
West	53	59	395	473	7.45	8.02	305	371	5	4	1.41	.94
U. S.	852	610	7,615	5,360	8.94	8.79	5,904	4,142	76	65	1.11	1.35
Ohio 3/	8	18	73	162	9.46	9.22	58	124	---	5	---	3.36
Minn.	437	306	3,890	2,723	8.90	8.91	3,021	2,152	35	25	1.02	1.02
Va.	74	106	676	939	9.13	8.89	479	665	14	22	2.17	2.65
Calif.	42	43	305	337	7.26	7.83	234	262	4	3	1.40	1.09

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States January 1965

Region and State	Tuber-culosis	Leu-cosis	Septi cemia	Airsac-culitis	Synovitis	Tumors	Bruises	Cadaver	Contam-ination	Over scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	---	---	306	329	158	---	8	21	65	8	13	908
W. N. Cent.	---	101	1,966	247	9	2	60	149	332	22	11	2,899
S. Atl.	---	3	1,756	1,040	36	---	24	8	54	---	12	2,933
S. Cent.	---	2	36	5	47	---	---	14	17	---	---	121
West	---	---	163	300	2	---	7	14	16	2	---	504
U. S.	---	106	4,227	1,921	252	2	99	206	484	32	36	7,365
Ohio	---	---	72	323	141	---	3	18	14	2	13	586
Minn.	---	101	1,911	247	9	2	55	140	327	22	11	2,825
Va.	---	2	1,727	969	21	---	20	7	45	---	8	2,799
Calif.	---	---	96	298	1	---	2	8	1	---	---	406

1/ Average weight based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Dashes mean less than 500 pounds.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, January 1964 and 1965

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
									Pounds (NYD)		Percent 2/	
	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965	1964	1965
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl. 3/	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	10	4	214	87	21.40	19.66	166	69	5	2	2.60	1.90
W. N. Cent.	22	3	404	69	18.36	23.00	320	56	11	2	3.03	3.22
S. Atl.	17	2	313	51	18.41	24.82	252	38	9	4	3.20	8.61
S. Cent. 3/	1	---	18	---	13.11	---	14	---	1	---	5.75	---
West	7	4	144	58	20.57	14.24	114	45	4	3	3.09	5.69
U. S.	57	13	1,093	265	19.18	20.38	866	208	30	11	3.05	4.62
Minn.	18	3	327	63	18.22	18.10	260	51	10	2	3.51	3.20

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, January 1965

Region and State	Tuber-culosis	Leu-cosis	Septi-cemia	Airsac culitis	Synovitis	Tumors	Bruises	Cadaver	Contam-ination	Over scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	---	---	36	3	---	1	---	---	---	---	---	40
W. N. Cent.	---	2	37	41	6	---	2	---	8	---	---	96
S. Atl.	---	191	921	42	26	17	9	27	16	23	13	1,285
S. Cent.	---	---	---	---	---	---	---	---	---	---	---	---
West	---	3	188	7	6	2	7	6	4	---	2	225
U. S.	---	196	1,182	93	38	20	18	33	28	23	15	1,646
Minn.	---	2	36	41	6	---	2	---	8	---	---	95

1/ Average weight based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Dashes mean less than 500 head or 500 pounds.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.